



**SCULPTED FROM HIMALAYAS
TO CONSTRUCT YOUR DREAMS**


**Himachal Pradesh
INDIA**

www.himalayanslateworld.com



Every block of stone has a statue inside it and
it is the task of the sculptor to discover it.

"Michelangelo"



CONTENTS

1. INTRODUCTION.....	01
2. HIMALAYAN GRAY SLATE.....	02
• DESIGNS.....	03 - 07
• SPECIFICATIONS & DIMENSIONS.....	08 - 10
3. HIMALAYAN BLACK SLATE.....	11
• DESIGNS.....	12 - 14
• SPECIFICATIONS & DIMENSIONS.....	15 - 17
4. HIMALAYAN WHITE SLATE.....	18
• DESIGNS.....	19 - 20
• SPECIFICATIONS & DIMENSIONS.....	21 - 22
5. HIMALAYAN SATURN GOLD SLATE.....	23
• DESIGNS.....	24
• SPECIFICATIONS & DIMENSIONS.....	25 - 26
6. SUMMARY.....	27



INTRODUCTION

Slate is a fine-grained, foliated, homogeneous metamorphic rock derived from an original shale-type sedimentary rock composed of clay or volcanic ash through low-grade regional metamorphism. It is the finest grained foliated metamorphic rock. Foliation may not correspond to the original sedimentary layering, but instead is in planes perpendicular to the direction of metamorphic compression.

The foliation in slate is called "slaty cleavage". It is caused by strong compression causing fine grained clay flakes to regrow in planes perpendicular to the compression. When expertly "cut" by striking parallel to the foliation, with a specialized tool in the quarry, many slates will display a property called fissility, forming smooth flat sheets of stone which have long been used for roofing, floor tiles, and other purposes. Slate is frequently grey in color, especially when seen, en masse, covering roofs. However, slate occurs in a variety of colors even from a single locality; for example, slate from Himalayas can be found in many shades of grey, from pale to dark, and may also be Silver, blue or black. Slate is not to be confused with shale, from which it may be formed, or schist.

The word "slate" is also used for certain types of object made from slate rock. It may mean a single roofing tile made of slate, or a writing slate. This was traditionally a small smooth piece of the rock, often framed in wood, used with chalk as a notepad or noticeboard, and especially for recording charges in pubs and inns. The phrases "clean slate" and "blank slate" come from this usage.

S.NO.	CATEGORY	PROPERTIES
1	Rock Type	Metamorphic Rock
2	Chemical Composition	Muscovite, chlorite, kaolinite, mica, quartz and other accessory minerals.
3	Density	2753 kg/m ³
4	Cleavage	Slaty
5	Texture	Foliated, Foliation on mm scale
6	Color	Grey, Black, Silver, Silver Gray, Multicolor, White etc.
7	Hardness	2.4-4.0 Hard & Brittle
8	Specific Gravity	2.7 – 2.8
9	Water Absorption	0.23 %
10	Porosity	0.43 %
11	Flexural Strength (Dry)	29.3 MPa
12	Flexural Strength (Wet)	22.6 MPa
13	Temperature Tolerance	-10°C to 60°C (Unaffected by normal heating, freezing & thermal cycling)
14	Finish	Different finishes such as Calibration, brushed, natural, honed, etc.





Himalayan Grey Slate

DESIGNS



Embrace elegance with Himalayan Grey Slate — a stunning natural stone, perfect for elevations and cladding. Formed through metamorphic processes, this resilient slate not only adds timeless beauty but also excels in withstanding high temperatures, making it as durable as it is captivating.








Discover the elegance of Himalayan Grey Slate — a top choice for interior and exterior elevations. Its velvety texture brings natural sophistication to living rooms, lobbies, garden spaces, and even restrooms. With a non-slip surface and ultra-low water absorption (only 0.25%, even less than granite or marble), this slate ensures both beauty and practicality. Its impressive flexural strength makes it ideal for parking areas, offering durability beyond traditional marble and other stones. Perfect for adding charm and resilience to any setting!







SPECIFICATIONS & DIMENSIONS

HIMALAYAN GREY SLATE (BOTH SIDE NATURAL)

S no.	Slate Size (Width X Length)	Thickness	Recommended
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Flooring, Landscaping
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Flooring, Landscaping
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping
5	6" X 12" (150 mm X 300 mm)	5 mm to 10 mm	Roofing, Cladding, Flooring, Landscaping
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Flooring, Landscaping
8	7" X 14" (175 mm X 350 mm)	5-7 mm	Roofing
9	8" X 16" (200 mm X 400 mm)	5-7 mm	Roofing
10	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping
11	9" X 18" (225 mm X 450 mm)	6-8 mm	Roofing
12	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping
13	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Flooring, Landscaping
14	10" X 20" (250 mm X 500 mm)	6-8 mm	Roofing
15	11" X 22" (275 mm X 550 mm)	6-8 mm	Roofing
16	12" X 24" (300 mm X 600 mm)	6 mm to 20 mm	Roofing and Flooring
17	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Flooring
18	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top and Flooring
19	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring
20	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring



Himalayan Grey Slate (Both Side Natural)

HIMALAYAN GREY SLATE (CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended	
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Flooring, Landscaping	
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Flooring, Landscaping	
3	8" X 12" (75 mm X 300 mm)	10 mm	Cladding	
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
5	6" X 12" (150 mm X 300 mm)	5 mm to 10 mm	Cladding, Flooring, Landscaping	
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Flooring, Landscaping	
8	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
9	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
10	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Flooring, Landscaping	
11	12" X 24" (300 mm X 600 mm)	15 mm to 20 mm	Flooring	
12	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Flooring	
13	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top and Flooring	
14	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
15	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
				Himalayan Grey Slate (Calibration)

HIMALAYAN GREY SLATE (BRUSHED & CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended	
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Flooring, Landscaping	
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Flooring, Landscaping	
3	8" X 12" (75 mm X 300 mm)	10 mm	Cladding	
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Flooring, Landscaping	
8	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
9	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
10	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Flooring, Landscaping	
11	12" X 24" (300 mm X 600 mm)	15 mm to 20 mm	Flooring	
12	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Flooring	
13	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top and Flooring	
14	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
15	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
				Himalayan Grey Slate (Brushed & Calibration)



HIMALAYAN GREY SLATE (POLISHED & CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Flooring, Landscaping
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Flooring, Landscaping
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Flooring, Landscaping
8	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping
9	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping
10	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Flooring, Landscaping
11	12" X 24" (300 mm X 600 mm)	6 mm to 20 mm	Flooring
12	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Flooring
13	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top and Flooring
14	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring
15	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring



Himalayan Grey Slate (Polished & Calibration)

Himalayan Slate World



Himalayan Black Slate

DESIGNS







SPECIFICATIONS & DIMENSIONS

HIMALAYAN BLACK SLATE (BOTH SIDE NATURAL)

S no.	Slate Size (Width X Length)	Thickness	Recommended	
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Flooring, Landscaping	
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Flooring, Landscaping	
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding	
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
5	6" X 12" (150 mm X 300 mm)	5 mm to 10 mm	Roofing, Cladding, Flooring, Landscaping	
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Flooring, Landscaping	
8	7" X 14" (175 mm X 350 mm)	5-7 mm	Roofing	
9	8" X 16" (200 mm X 400 mm)	5-7 mm	Roofing	
10	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
11	9" X 18" (225 mm X 450 mm)	6-8 mm	Roofing	
12	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
13	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Flooring, Landscaping	
14	10" X 20" (250 mm X 500 mm)	6-8 mm	Roofing	
15	11" X 22" (275 mm X 550 mm)	6-8 mm	Roofing	
16	12" X 24" (300 mm X 600 mm)	6 mm to 20 mm	Roofing and Flooring	
17	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Flooring	
18	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top and Flooring	
19	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
20	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
				Himalayan Black Slate (Both Side Natural)



HIMALAYAN BLACK SLATE (CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended	
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Flooring, Landscaping	
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Flooring, Landscaping	
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding	
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
5	6" X 12" (150 mm X 300 mm)	5 mm to 10 mm	Cladding, Flooring, Landscaping	
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Flooring, Landscaping	
8	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
9	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
10	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Flooring, Landscaping	
11	12" X 24" (300 mm X 600 mm)	6 mm to 20 mm	Flooring	
12	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Flooring	
13	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top and Flooring	
14	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
15	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
				Himalayan Black Slate (Calibration)

HIMALAYAN BLACK SLATE (BRUSHED & CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended	
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Flooring, Landscaping	
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Flooring, Landscaping	
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding	
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Flooring, Landscaping	
8	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
9	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
10	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Flooring, Landscaping	
11	12" X 24" (300 mm X 600 mm)	6 mm to 20 mm	Flooring	
12	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Flooring	
13	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top and Flooring	
14	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
15	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
				Himalayan Black Slate (Brushed & Calibration)



HIMALAYAN BLACK SLATE (POLISHED & CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended	
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Flooring, Landscaping	
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Flooring, Landscaping	
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding	
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
5	6" X 12" (150 mm X 300 mm)	5 mm to 10 mm	Cladding, Flooring, Landscaping	
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Flooring, Landscaping	
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Flooring, Landscaping	
8	16" X 16" (400 mm X 400 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
9	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Flooring, Landscaping	
10	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Flooring, Landscaping	
11	12" X 24" (300 mm X 600 mm)	6 mm to 20 mm	Flooring	
12	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Flooring	
13	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top and Flooring	
14	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
15	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top and Flooring	
				Himalayan Black Slate (Polished & Calibration)





Himalayan White Slate





SPECIFICATIONS & DIMENSIONS

HIMALAYAN WHITE SLATE (BOTH SIDE NATURAL)

S no.	Slate Size (Width X Length)	Thickness	Recommended
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Landscaping
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Landscaping
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Landscaping
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Landscaping
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Landscaping
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Landscaping
10	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Landscaping
12	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Landscaping
13	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Landscaping
16	12" X 24" (300 mm X 600 mm)	15 mm to 20 mm	Landscaping
17	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Landscaping
18	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top
19	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top
20	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top
Himalayan White Slate (Both Side Natural)			



HIMALAYAN WHITE SLATE (CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Landscaping
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Landscaping
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Landscaping
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Landscaping
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Landscaping
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Landscaping
10	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Landscaping
12	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Landscaping
13	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Landscaping
16	12" X 24" (300 mm X 600 mm)	12 mm to 20 mm	Landscaping
17	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Landscaping
18	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top
19	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top
20	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top
Himalayan White Slate (Calibration)			



HIMALAYAN WHITE SLATE (BRUSHED & CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Landscaping
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Landscaping
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Landscaping
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Landscaping
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Landscaping
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Landscaping
10	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Landscaping
12	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Landscaping
13	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Landscaping
16	12" X 24" (300 mm X 600 mm)	12 mm to 20 mm	Landscaping
17	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Landscaping
18	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top
19	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top
20	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top
Himalayan White Slate (Brushed & Calibration)			





Introducing...
Himalayan Saturn Gold Slate



Himalayan Saturn Gold Slate is a unique metamorphic slate with exceptional splitting properties, allowing it to be polished like other dimensional stones. Mined from the challenging elevations of the higher Himalayas, transporting this slate is a tough task that adds to its exclusivity. This stone is truly a masterpiece, known for its striking appearance and incredible durability, with a water absorption rate of just 0.15% after polishing. Including this slate in your project adds a touch of natural beauty and resilience, capturing the essence of the Himalayas in every piece.



SPECIFICATIONS & DIMENSIONS

HIMALAYAN SATURN GOLD SLATE (BOTH SIDE NATURAL)

S no.	Slate Size (Width X Length)	Thickness	Recommended
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Landscaping
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Landscaping
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Landscaping
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Landscaping
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Landscaping
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Landscaping
10	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Landscaping
12	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Landscaping
13	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Landscaping
16	12" X 24" (300 mm X 600 mm)	15 mm to 20 mm	Landscaping
17	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Landscaping
18	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top
19	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top
20	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top
Himalayan Saturn Gold Slate (Both Side Natural)			



HIMALAYAN SATURN GOLD SLATE (CALIBRATION)


S no.	Slate Size (Width X Length)	Thickness	Recommended
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Landscaping
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Landscaping
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Landscaping
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Landscaping
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Landscaping
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Landscaping
10	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Landscaping
12	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Landscaping
13	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Landscaping
16	12" X 24" (300 mm X 600 mm)	12 mm to 20 mm	Landscaping
17	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Landscaping
18	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top
19	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top
20	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top



Himalayan Saturn Gold Slate (Calibration)

HIMALAYAN SATURN GOLD SLATE (POLISHED & CALIBRATION)

S no.	Slate Size (Width X Length)	Thickness	Recommended
1	6" X 6" (150 mm X 150 mm)	10 mm	Cladding, Landscaping
2	8" X 8" (200 mm X 200 mm)	10 mm	Cladding, Landscaping
3	3" X 12" (75 mm X 300 mm)	10 mm	Cladding
4	4" X 12" (100 mm X 300 mm)	10 mm	Cladding, Landscaping
5	6" X 12" (150 mm X 300 mm)	10 mm	Cladding, Landscaping
6	8" X 12" (200 mm X 300 mm)	10 mm	Cladding, Landscaping
7	12" X 12" (300 mm X 300 mm)	10 mm to 15 mm	Cladding, Landscaping
10	16" X 16" (200 mm X 400 mm)	12 mm to 20 mm	Cladding, Landscaping
12	12" X 18" (300 mm X 450 mm)	12 mm to 20 mm	Cladding, Landscaping
13	18" X 18" (450 mm X 450 mm)	12 mm to 20 mm	Landscaping
16	12" X 24" (300 mm X 600 mm)	12 mm to 20 mm	Landscaping
17	18" X 24" (450 mm X 600 mm)	15 mm to 25 mm	Landscaping
18	24" X 24" (600 mm X 600 mm)	15 mm to 25 mm	Landscaping, Table top
19	24" X 36" (600 mm X 900 mm)	20 mm to 30 mm	Landscaping, Table top
20	24" X 48" (600 mm X 1200 mm)	20 mm to 30 mm	Landscaping, Table top



Himalayan Saturn Gold Slate (Polished & Calibration)

SUMMARY

S. No.	PRODUCT NAME	FINISH	ITEM CODE	PRODUCT IMAGE
1	Himalayan Grey Slate	BOTH SIDE NATURAL	HIM001	
2	Himalayan Grey Slate	ONE SIDE NATURAL CALIBRATION	HIM002	
3	Himalayan Grey Slate	ONE SIDE BRUSH CALIBRATION	HIM003	
4	Himalayan Grey Slate	ONE SIDE POLISHED CALIBRATION	HIM004	
5	Himalayan Black Slate	BOTH SIDE NATURAL	HIM005	
6	Himalayan Black Slate	ONE SIDE NATURAL CALIBRATION	HIM006	
7	Himalayan Black Slate	ONE SIDE BRUSH CALIBRATION	HIM007	
8	Himalayan Black Slate	ONE SIDE POLISHED CALIBRATION	HIM008	

S. No.	PRODUCT NAME	FINISH	ITEM CODE	PRODUCT IMAGE
9	Himalayan White Slate	BOTH SIDE NATURAL	HIM009	
10	Himalayan White Slate	ONE SIDE NATURAL CALIBRATION	HIM010	
11	Himalayan White Slate	ONE SIDE BRUSH CALIBRATION	HIM011	
12	Himalayan Saturn Gold Slate	BOTH SIDE NATURAL	HIM012	
13	Himalayan Saturn Gold Slate	ONE SIDE NATURAL CALIBRATION	HIM013	
14	Himalayan Saturn Gold Slate	ONE SIDE POLISHED CALIBRATION	HIM014	
15	Himalayan Lime Grey Slate	ONE SIDE NATURAL CALIBRATION	HIM015	
16	Himalayan Lime Green Slate	ONE SIDE NATURAL CALIBRATION	HIM016	





Visit us at: www.himalayanslateworld.com



Himalayan Slate World

**FLOORING CLADDING LANDSCAPING
WORKTOPS ROOFING PAVING**

*Slate is a timeless beauty,
crafted by us.*

**Himalayan Slate World
HSW, Nr. Kali Mata Mandir, Sarabai
Bhunter, Kullu- 175125, H.P. (INDIA)**

**Saria International Trade & Investment
P.C. 112, CRN No. 1450900,
Muscat, Governate of Muscat (OMAN)**

**Baba Import S.R.L.
Piazza Manfredo Fanti No. 31/32,
00185 ROME (ITALY)**

Telephone: +91 (0) 141 2369 770

Mob No.: +91 9950 30 3481

+91 810 710 1487

+968 79 094 505

WhatsApp: +91 810 710 1487

Web: www.himalayanslateworld.com

E-mail: info@himalayanslateworld.com

sales@himalayanslateworld.com

Himalayan Slate World